



SWEEPERS - WALK BEHIND

# SMARTVAC™ 664

The SmartVac Vacuum Sweeper is in a category all its own. This battery-operated unit will vacuum carpets and sweep floors at high productivity levels, automatically adjust to any surface, and even clean its own filter. See a return on investment in as little as a few months.

MAX PRODUCTIVITY

BATTERY RUN TIME

KEY SPECS

51,000 ft<sup>2</sup>/h 2.5 h

32" cleaning width  
13 gal capacity

## MOST FREQUENT USE



LARGE TANK



INTUITIVE CONTROL PANEL



ADJUSTABLE HANDLE



## INNOVATIONS




SOFT  
CLEANING  
SURFACE



## SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



## SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.



# SMARTVAC



.01 LARGE HOPPER

.02

ADJUSTABLE HANDLE

The handle can be completely pushed down, helping make storage easy.

MICRO DUST FILTRATION

Filter with incorporated rubber gasket for maximum control of dust. Pre-filter also equipped to catch large fibers,



SELF-LEVELING BRUSH

Automatically adjusts to any surface

## Other Features

- Maintenance free sealed battery for up to 2.5 hours of continuous cleaning
- Ultra quiet at 55 dBa, allowing machine to be used at any time day or night
- Self cleaning filter system for optimum vacuum performance
- Micro dust filtration to assure clean air
- Main brush in a special "V" shape and long bristle design to assure deep cleaning
- Vacuum shut off for when sweeping wet areas
- Cleans 5x faster than a backpack vacuum and 10x faster than an upright vacuum
- Easy to transport
- Easy to use control panel
- Adjustable handlebar
- On-board battery charger
- Dust filter replacement without tools
- Main brush replacement without tools
- Side brush replacement without tools
- Pre-programmed working settings

## SMARTVAC 664

### SMARTVAC 664

Max working width	in/ mm	32"/ 825 mm
Main brush width	in/ mm	24"/ 600 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	51,000 ft <sup>2</sup> / 4,738 m <sup>2</sup>
Dirt container volume	gal	13 gal/ 51 l
Weight	lbs/ kg	124 lbs/ 56 kg
Run time	Min	150
Noise level	dB	55 dB
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	10 ft <sup>2</sup> / 1 m <sup>2</sup>
Electric filter shaker		Automatic

## AVAILABLE ACCESSORIES

### AGM BATTERY FB860033030



## GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft <sup>2</sup> / h	Maximum Theoretical ft <sup>2</sup> /charge	Ft <sup>2</sup> charge efficiency (70%)
TK464E	Maintenance Free AGM Battery	2.5 h	50,914	127,286	89,100



IPC Eagle Corporation  
12450 Oliver Ave S Burnsville, MN 55337

800-486-2775  
info@ipceagle.com