




The Clear Choice in Water Treatment



Scaltrol's hard water solutions help commercial and residential customers beat scale build-up, saving them from costly down time and expensive maintenance repairs.

Here's how it works: Scaltrol systems control scaling problems caused by the high content of minerals in most water supplies, including calcium carbonate (lime scale), calcium sulfate, iron and manganese. Any increase in temperature or a drop in pressure will cause minerals to precipitate (i.e., form scale).

According to equipment manufacturers, 80% of service calls are a direct result of water problems.

To combat corrosion and scaling, Scaltrol scale control systems deposit a microscopic film of polyphosphate sequestrant to all surfaces using our patented venturi dispensing heads. This enables a consistent, effective

feed rate of the polyphosphate which dramatically reduces scale build-up and equipment downtime.

Scaltrol units are easy to install because they are non-electrical, non-magnetic and non-mechanical.

For residential customers, Scaltrol replaces water softeners with a whole house water purification system that is effective, safe and salt-free. Home owners enjoy easier maintenance with a system that is better for the environment.

Protect your investment in expensive equipment with Scaltrol. For more information, call 800-868-0629.





SCALtrol SC-50 & SC-100

SC-50 and SC-100 models use sumps made of clear polycarbon with glass-reinforced nylon heads. These units are designed to fit on **cold water** lines.

SC-50 & SC-100 SPECIFICATIONS

Water Flow	up to 10 gpm
Max. Pressure	55 psi
Max. Temperature	120° F (49° C)
Inlet/Outlet (Female)	¾" NPT
Dimensions	
SC-50	4.5" wide x 7.5" tall
SC-100	4.5" wide x 12.5" tall
Cartridge Capacity	
SC-50	50,000 gallons
SC-100	100,000 gallons
Replacement Cartridge	
SC-50	RSC-50
SC-100	RSC-100

APPLICATIONS

Food Service: dish machines, ice makers, steamers, combi-ovens, booster heaters, coffee makers

Commercial: pressure washers, water heaters, laundry machines, medical sterilizers, farms, hospitals, schools, detention facilities, club houses

Residential: whole house, water heaters, dishwashers, washing machines, showers/bathtubs, toilets



SCALtrol HSC-50 & HSC-100

HSC-50 and HSC-100 models use glass-reinforced nylon heads and sumps which are designed to handle high temperature and high pressure applications. These units are designed to fit on both **hot and cold** water lines.

HSC-50 & HSC-100 SPECIFICATIONS

Water Flow	up to 10 gpm
Max. Pressure	200 psi
Max. Temperature	200° F (93° C)
Inlet/Outlet (Female)	¾" NPT
Dimensions	
HSC-50	4.5" wide x 7.5" tall
HSC-100	4.5" wide x 12.5" tall
Cartridge Capacity	
HSC-50	50,000 gallons
HSC-100	100,000 gallons
Replacement Cartridge	
HSC-50	RSC-50
HSC-100	RSC-100

APPLICATIONS

Food Service: dish machines, ice makers, steamers, combi-ovens, booster heaters, coffee makers

Commercial: pressure washers, water heaters, laundry machines, medical sterilizers, farms, hospitals, schools, detention facilities, club houses





SCALTRON

The Clear Choice in Water Treatment

SCALTRON SC-500

The SC-500 model uses glass-reinforced heads and sumps made of clear polycarbonate. These units are designed to fit on **hot or cold** water lines for high water volume industrial applications.

SC-500 SPECIFICATIONS

Water Flow	up to 25 gpm
Max. Pressure	100 psi
Max. Temperature	150° F (66° C)
Inlet/Outlet (Female)	1-½" NPT
Dimensions	7.5" wide x 14" tall
Cartridge Capacity	500,000 gallons
Replacement Cartridge	RSC-500

APPLICATIONS

Commercial: water heaters, laundry machines, farms, hospitals, schools, detention facilities, club houses

Warranty:

We offer a one-year warranty on our scale control systems for parts with manufacturer's defects. For more specifics, see our website at www.scaltrolinc.com.

Replacement Cartridges:

For the SC-50, SC-100, HSC-50 and HSC-100, order replacement cartridges when the level of the Scaltrol compound reaches the bottom end cap. For the SC-500, order replacement cartridges/sumps when the level of the Scaltrol compound reaches the bottom of the sump.

Product Specifications / Installation Instructions:

For installation instructions for units and replacement cartridges, as well as for product specifications, check the website at www.scaltrolinc.com.

FOOD SERVICE APPLICATIONS

*Restaurants
Dish machines
Ice makers
Steamers
Combi-ovens
Booster heaters
Coffee makers*

COMMERCIAL APPLICATIONS

*Pressure washers
Water heaters
Laundry machines
Medical sterilizers
Farms
Hospitals
Schools
Detention facilities
Club houses*

RESIDENTIAL APPLICATIONS

*Whole house
Water heaters
Dishwashers
Washing machines
Showers/bathtubs
Toilets*



SCALTROL

The Clear Choice in Water Treatment

www.scaltrolinc.com

For more information, call 800-868-0629.

